


## ОТКРЫТЫЕ ЦИЛИНДРИЧЕСКИЕ ВСТАВКИ GESTION FX OC

Марка	D, мм	H, мм	S, мм
Gestion FX OC 30/150	30	150	9
Gestion FX OC 40/150	40	150	9
Gestion FX OC 50/150	50	150	10
Gestion FX OC 60/150	60	150	10
Gestion FX OC 70/150	70	150	10
Gestion FX OC 80/150	80	150	10
Gestion FX OC 90/150	90	150	10
Gestion FX OC 100/150	100	150	10
Gestion FX OC 120/150	120	150	12
Gestion FX OC 140/200	140	200	12
Gestion FX OC 140/300	140	300	12
Gestion FX OC 140/400	140	400	12
Gestion FX OC 150/250	150	250	17,5
Gestion FX OC 160/200	160	200	15
Gestion FX OC 160/300	160	300	15
Gestion FX OC 160/400	160	400	15
Gestion FX OC 180/200	180	200	15
Gestion FX OC 180/300	180	300	15
Gestion FX OC 180/400	180	400	15
Gestion FX OC 200/200	200	200	20
Gestion FX OC 200/300	200	300	20
Gestion FX OC 200/400	200	400	20
Gestion FX OC 225/200	225	200	17
Gestion FX OC 200/200	200	200	25
Gestion FX OC 200/300	200	300	25

<b>Марка</b>	<b>D,мм</b>	<b>H,мм</b>	<b>S,мм</b>
<b>Gestion FX OC 200/400</b>	<b>200</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OC 230/200</b>	<b>230</b>	<b>200</b>	<b>25</b>
<b>Gestion FX OC 230/300</b>	<b>230</b>	<b>300</b>	<b>25</b>
<b>Gestion FX OC 230/400</b>	<b>230</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OC 240/200</b>	<b>240</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 240/300</b>	<b>240</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 240/400</b>	<b>240</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 250/200</b>	<b>250</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 250/300</b>	<b>250</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 250/400</b>	<b>250</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 275/200</b>	<b>275</b>	<b>200</b>	<b>28</b>
<b>Gestion FX OC 275/400</b>	<b>275</b>	<b>400</b>	<b>28</b>
<b>Gestion FX OC 25/300</b>	<b>25</b>	<b>300</b>	<b>18</b>
<b>Gestion FX OC 270/200</b>	<b>270</b>	<b>200</b>	<b>18</b>
<b>Gestion FX OC 300/200</b>	<b>300</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 300/300</b>	<b>300</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 300/400</b>	<b>300</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 300/500</b>	<b>300</b>	<b>500</b>	<b>30</b>
<b>Gestion FX OC 350/200</b>	<b>350</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 350/300</b>	<b>350</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 350/400</b>	<b>350</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 350/500</b>	<b>350</b>	<b>500</b>	<b>32</b>
<b>Gestion FX OC 350/600</b>	<b>350</b>	<b>600</b>	<b>32</b>
<b>Gestion FX OC 370/200</b>	<b>370</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OC 375/200</b>	<b>375</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 375/300</b>	<b>375</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 375/400</b>	<b>375</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 400/200</b>	<b>400</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 400/300</b>	<b>400</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 400/400</b>	<b>400</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 400/500</b>	<b>400</b>	<b>500</b>	<b>30</b>
<b>Gestion FX OC 400/600</b>	<b>400</b>	<b>600</b>	<b>30</b>
<b>Gestion FX OC 450/200</b>	<b>450</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OC 450/300</b>	<b>450</b>	<b>300</b>	<b>30</b>
<b>Gestion FX OC 450/400</b>	<b>450</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OC 450/500</b>	<b>450</b>	<b>500</b>	<b>30</b>

<b>Марка</b>	<b>D, мм</b>	<b>H, мм</b>	<b>S, мм</b>
Gestion FX OC 450/600	450	600	30
Gestion FX OC 500/200	500	200	30
Gestion FX OC 500/300	500	300	30
Gestion FX OC 500/400	500	400	30
Gestion FX OC 500/500	500	500	30
Gestion FX OC 500/600	500	600	30
Gestion FX OC 500/700	500	700	30
Gestion FX OC 500/800	500	800	30
Gestion FX OC 550/200	550	200	30
Gestion FX OC 550/300	550	300	30
Gestion FX OC 550/400	550	400	30
Gestion FX OC 550/600	550	600	30
Gestion FX OC 550/800	550	800	30
Gestion FX OC 600/200	600	200	30
Gestion FX OC 600/300	600	300	30
Gestion FX OC 600/400	600	400	30
Gestion FX OC 600/600	600	600	30
Gestion FX OC 600/800	600	800	30
Gestion FX OC 600/1000	600	1000	30
Gestion FX OC 650/200	650	200	30
Gestion FX OC 650/600	650	600	36
Gestion FX OC 650/800	650	800	36
Gestion FX OC 650/1000	650	1000	36
Gestion FX OC 700/200	700	200	37
Gestion FX OC 700/600	700	600	37
Gestion FX OC 700/800	700	800	37
Gestion FX OC 700/1000	700	1000	37
Gestion FX OC 750/200	750	200	38
Gestion FX OC 750/600	750	600	38
Gestion FX OC 750/800	750	800	38
Gestion FX OC 750/1000	750	1000	38
Gestion FX OC 750/1200	750	1200	38
Gestion FX OC 800/200	800	200	40
Gestion FX OC 800/800	800	800	40
Gestion FX OC 800/1000	800	1000	40
Gestion FX OC 800/1200	800	1200	40


Марка	D, мм	H, мм	S, мм
Gestion FX OC 850/200	850	200	40
Gestion FX OC 850/800	850	800	40
Gestion FX OC 850/1000	850	1000	40
Gestion FX OC 850/1200	850	1200	40
Gestion FX OC 850/1400	850	1400	40



## КУПОЛОБРАЗНЫЕ ВСТАВКИ GESTION FX C

Марка	D, мм	H, мм	S, мм
Gestion FX C 30/100	30	100	8
Gestion FX C 40/100	40	100	8
Gestion FX C 50/100	50	100	10
Gestion FX C 60/105	60	105	10
Gestion FX C 60/120	60	120	10
Gestion FX C 70/100	70	100	10
Gestion FX C 70/120	70	120	10
Gestion FX C 80/110	80	110	10
Gestion FX C 80/120	80	120	10
Gestion FX C 90/116	90	116	10
Gestion FX C 100/159	100	159	10
Gestion FX C 100/150	100	150	10
Gestion FX C 120/150	120	150	12
Gestion FX C 140/173	140	173	12
Gestion FX C 144/228	144	228	12


Марка	D, мм	H, мм	S, мм
Gestion FX C 140/180	140	180	12
Gestion FX C 160/200	160	200	20
Gestion FX C 180/230	180	230	20
Gestion FX C 200/230	200	230	25
Gestion FX C 250/230	250	230	25
Gestion FX C 300/230	300	230	30



**ЦИЛИНДРИЧЕСКАЯ ВСТАВКА  
С УСЕЧЕННЫМ  
КОНУСОМ  
GESTION FX Y**

Марка	d, мм	D, мм	H, мм	h, мм	s, мм
Gestion FX Y 25/40/75	24	40	75	25	10
Gestion FX Y 27/60/90	27	60	60	30	10
Gestion FX Y 38/78/100	38	78	100	27	10
Gestion FX Y 45/80/150	45	80	150	40	10
Gestion FX Y 55/100/150	55	100	150	40	10
Gestion FX Y 55/100/300	55	100	300	40	10
Gestion FX Y 65/120/150	65	120	150	40	15
Gestion FX Y 70/147/195	70	147	195	85	15
Gestion FX Y 74/147/192	74	147	192	68	16
Gestion FX Y 88/175/222	88	175	222	90	23
Gestion FX Y 80/140/200	80	140	200	40	13
Gestion FX Y 100/200/250	100	200	250	100	23
Gestion FX Y 90/160/200	90	160	200	40	15
Gestion FX Y 110/225/250	110	225	250	110	25
Gestion FX Y 110/180/200	110	180	200	40	15

Марка	d,мм	D,мм	H,мм	h,мм	s,мм
Gestion FX Y 113/224/278	113	224	278	110	25
Gestion FX Y 124/252/300	124	252	300	120	25
Gestion FX Y 120/200/200	120	200	200	50	17
Gestion FX Y 155/250/200	155	250	200	60	18
Gestion FX Y 150/300/300	150	300	300	140	30
Gestion FX Y 145/300/350	145	300	350	140	30
Gestion FX Y 175/355/300	175	355	300	155	30
Gestion FX Y 175/355/410	175	355	410	155	30




## ОТКРЫТЫЕ ОВАЛЬНЫЕ ВСТАВКИ

### GESTION FX OV

Марка	d,мм	D,мм	H,мм	s,мм
Gestion FX OV 49/74/68	49	74	68	10
Gestion FX OV 45/114/150	45	114	150	10
Gestion FX OV 60/89/77	60	89	77	10
Gestion FX OV 60/144/150	60	144	150	10
Gestion FX OV 70/105/86	70	105	86	10
Gestion FX OV 78/121/95	78	121	95	10
Gestion FX OV 40/80/150	40	80	150	10
Gestion FX OV 40/80/300	40	80	300	10
Gestion FX OV 40/120/150	40	120	150	10
Gestion FX OV 40/120/300	40	120	300	10
Gestion FX OV 60/120/150	60	120	150	10
Gestion FX OV 60/120/300	60	120	300	10
Gestion FX OV 60/124/150	60	124	150	10
Gestion FX OV 60/124/300	60	124	300	10
Gestion FX OV 100/150/150	100	150	150	12


<b>Марка</b>	<b>d,мм</b>	<b>D,мм</b>	<b>H,мм</b>	<b>S,мм</b>
<b>Gestion FX OV 100/150/300</b>	<b>100</b>	<b>150</b>	<b>300</b>	<b>12</b>
<b>Gestion FX OV 80/160/150</b>	<b>80</b>	<b>160</b>	<b>150</b>	<b>12</b>
<b>Gestion FX OV 80/160/300</b>	<b>80</b>	<b>160</b>	<b>300</b>	<b>12</b>
<b>Gestion FX OV 100/160/150</b>	<b>100</b>	<b>160</b>	<b>150</b>	<b>12</b>
<b>Gestion FX OV 100/160/300</b>	<b>100</b>	<b>160</b>	<b>300</b>	<b>12</b>
<b>Gestion FX OV 100/180/200</b>	<b>100</b>	<b>180</b>	<b>200</b>	<b>15</b>
<b>Gestion FX OV 100/180/400</b>	<b>100</b>	<b>180</b>	<b>400</b>	<b>15</b>
<b>Gestion FX OV 100/200/200</b>	<b>100</b>	<b>200</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OV 100/200/400</b>	<b>100</b>	<b>200</b>	<b>400</b>	<b>20</b>
<b>Gestion FX OV 100/200/200</b>	<b>100</b>	<b>200</b>	<b>200</b>	<b>25</b>
<b>Gestion FX OV 100/200/400</b>	<b>100</b>	<b>200</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OV 140/210/200</b>	<b>140</b>	<b>210</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OV 140/210/400</b>	<b>140</b>	<b>210</b>	<b>400</b>	<b>20</b>
<b>Gestion FX OV 120/240/200</b>	<b>120</b>	<b>240</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OV 120/240/400</b>	<b>120</b>	<b>240</b>	<b>400</b>	<b>20</b>
<b>Gestion FX OV 145/280/200</b>	<b>145</b>	<b>280</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OV 145/280/400</b>	<b>145</b>	<b>280</b>	<b>400</b>	<b>20</b>
<b>Gestion FX OV 200/300/200</b>	<b>200</b>	<b>300</b>	<b>200</b>	<b>25</b>
<b>Gestion FX OV 200/300/400</b>	<b>200</b>	<b>300</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OV 140/280/200</b>	<b>140</b>	<b>280</b>	<b>200</b>	<b>15</b>
<b>Gestion FX OV 160/320/200</b>	<b>160</b>	<b>320</b>	<b>200</b>	<b>25</b>
<b>Gestion FX OV 160/320/400</b>	<b>160</b>	<b>320</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OV 180/360/200</b>	<b>180</b>	<b>360</b>	<b>200</b>	<b>25</b>
<b>Gestion FX OV 180/360/400</b>	<b>180</b>	<b>360</b>	<b>400</b>	<b>25</b>
<b>Gestion FX OV 200/400/200</b>	<b>200</b>	<b>400</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OV 200/400/400</b>	<b>200</b>	<b>400</b>	<b>400</b>	<b>30</b>
<b>Gestion FX OV 220/330/200</b>	<b>220</b>	<b>300</b>	<b>200</b>	<b>20</b>
<b>Gestion FX OV 300/450/200</b>	<b>300</b>	<b>450</b>	<b>200</b>	<b>30</b>
<b>Gestion FX OV 300/450/400</b>	<b>300</b>	<b>450</b>	<b>400</b>	<b>30</b>



## ОВАЛЬНЫЕ ВСТАВКИ С УЗКОЙ ГОРЛОВИНОЙ

### GESTION FX A

Марка	D, мм	b, мм	B, мм	H, мм	s, мм
Gestion FX A 40/25/150	40	25	40	150	10
Gestion FX A 60/35/150	60	35	70	150	10
Gestion FX A 80/45/150	80	45	80	150	11
Gestion FX A 100/55/150	100	55	110	150	11
Gestion FX A 120/60/150	120	60	120	150	12
Gestion FX A 140/90/200	140	90	140	200	13
Gestion FX A 160/90/200	160	90	160	200	15
Gestion FX A 180/100/200	180	100	180	200	15
Gestion FX A 200/100/200	200	100	200	200	17
Gestion FX A 250/135/200	250	135	250	200	18
Gestion FX A 300/170/200	300	170	300	200	19




## ПИТАТЕЛЬ БОКОВОЙ

### GESTION FX S

Марка	d, мм	D, мм	H, мм	h, мм	s, мм
Gestion FX S 60/100	60	100	100	50	12
Gestion FX S 70/120	70	120	200	65	12
Gestion FX S 70/125	70	120	125	60	14
Gestion FX S 80/140	80	140	140	70	17




Марка	d,мм	D,мм	H,мм	h,мм	s,мм
Gestion FX S 90/160	90	160	160	80	18
Gestion FX S 100/180	100	180	180	90	19
Gestion FX S 110/200	110	200	200	100	20
Gestion FX S 130/240	130	240	240	120	19
Gestion FX S 160/300	160	300	300	150	23
Gestion FX S 30/50	30	50	80	25	10
Gestion FX S 35/60	35	60	65	25	10
Gestion FX S 40/80	40	80	95	40	11
Gestion FX S 60/100	60	100	175	45	11
Gestion FX S 80/140	80	140	215	65	12
Gestion FX S 90/160	90	160	240	80	15
Gestion FX S 95/180	95	180	270	90	15
Gestion FX S 195/200	195	200	Open	118	17
Gestion FX S 200/250	200	250	Open	120	17



## ЗАКРЫТЫЕ ПРЯМЫЕ ВСТАВКИ GESTION FX CS

Марка	d,мм	D,мм	h,мм	H,мм	s,мм
Gestion FX CS 30/100	30	46	100	108	8
Gestion FX CS 40/100	40	56	100	108	8
Gestion FX CS 50/100	50	70	100	110	10
Gestion FX CS 60/105	60	80	105	115	10
Gestion FX CS 70/100	70	90	100	110	10
Gestion FX CS 80/110	80	100	110	120	10
Gestion FX CS 90/116	90	110	116	126	10


Марка	d,мм	D,мм	h,мм	H,мм	s,мм
Gestion FX CS 100/159	100	120	159	169	10
Gestion FX CS 120/150	120	144	150	162	12
Gestion FX CS 140/173	140	164	173	185	12
Gestion FX CS 144/228	144	168	228	240	12
Gestion FX CS 160/200	160	200	200	220	20
Gestion FX CS 180/230	180	220	230	250	20
Gestion FX CS 200/230	200	250	230	255	25
Gestion FX CS 250/230	250	300	230	255	25
Gestion FX CS 300/230	300	360	230	260	30



## ЗАКРЫТЫЕ ВСТАВКИ GESTION FX CCK

Марка	d1,мм	D1,мм	d,мм	D,мм	h,мм	H,мм	a,мм
Gestion FX CCK 35/40/6	35	48	31	44	40	46	6
Gestion FX CCK 35/40/9	35	53	31	49	40	49	9
Gestion FX CCK 42/40/9	42	60	38	56	40	49	9
Gestion FX CCK 42/64/9	42	60	36	54	64	73	9
Gestion FX CCK 42/63/10	42	62	36	56	63	73	10
Gestion FX CCK 42/85/10	42	62	36	56	85	95	10
Gestion FX CCK 52/70/11	52	74	48	70	70	81	11
Gestion FX CCK 58/79/11	58	80	53	75	79	90	11
Gestion FX CCK 59/102/10	59	79	50	73	105	115	10
Gestion FX CCK 70/87/12	70	94	65	89	87	99	12
Gestion FX CCK 79/97/12	79	103	72	96	97	109	12


Марка	d,мм	D,мм	d,мм	D,мм	h,мм	H,мм	a,м
Gestion FX CCK 89/105/13	89	115	81	107	105	118	13
Gestion FX CCK 97/118/16	97	129	91	123	118	134	16
Gestion FX CCK 118/130/19	118	156	112	150	130	149	19



## КРЫШКА КРУГЛАЯ GESTION EX cap C

Марка	D,мм	S,мм
Gestion EX cap C 50/10	50	10
Gestion EX cap C 60/10	60	10
Gestion EX cap C 70/10	70	10
Gestion EX cap C 80/10	80	10
Gestion EX cap C 90/10	90	10
Gestion EX cap C 100/10	100	10
Gestion EX cap C 110/10	110	10
Gestion EX cap C 120/10	120	10
Gestion EX cap C 144/12	144	12
Gestion EX cap C 164/12	164	12
Gestion EX cap C 185/12	185	12
Gestion EX cap C 190/15	190	15
Gestion EX cap C 210/15	210	15
Gestion EX cap C 240/20	240	20
Gestion EX cap C 250/25	250	25
Gestion EX cap C 280/25	280	25
Gestion EX cap C 300/30	300	30
Gestion EX cap C 310/30	310	30
Gestion EX cap C 360/30	360	30
Gestion EX cap C 410/30	410	30
Gestion EX cap C 435/30	435	30
Gestion EX cap C 460/30	460	30


Марка	D, мм	S, мм
Gestion EX cap C 510/30	510	30
Gestion EX cap C 560/30	560	30
Gestion EX cap C 610/30	610	30



## КРЫШКА ОВАЛЬНАЯ GESTION EX cap O

Марка	D1, мм	D2, мм	S, мм
Gestion EX cap O 69/94	69	94	10
Gestion EX cap O 65/134	65	134	10
Gestion EX cap O 80/109	80	109	10
Gestion EX cap O 80/164	80	164	10
Gestion EX cap O 90/125	90	125	10
Gestion EX cap O 98/141	98	141	10
Gestion EX cap O 60/100	60	100	10
Gestion EX cap O 60/140	60	140	10
Gestion EX cap O 80/140	80	140	10
Gestion EX cap O 80/144	80	144	10
Gestion EX cap O 124/144	124	144	12
Gestion EX cap O 104/184	104	184	12
Gestion EX cap O 124/184	124	184	12
Gestion EX cap O 130/210	130	210	15
Gestion EX cap O 140/240	140	240	20
Gestion EX cap O 150/250	150	250	25
Gestion EX cap O 180/250	180	250	20
Gestion EX cap O 160/280	160	280	20
Gestion EX cap O 185/320	185	320	20
Gestion EX cap O 250/350	250	350	25
Gestion EX cap O 210/370	210	370	25


Марка	D1, мм	D2, мм	S, мм
Gestion EX cap O 230/410	230	410	25
Gestion EX cap O 260/460	260	460	30
Gestion EX cap O 360/510	360	510	30



## ОТСЕКТЕЛЬНЫЕ КОЛЬЦА ДЛЯ ВСТАВОК GESTION ring C

Марка	N, мм	D, мм	S, мм
Gestion ring C 20/44	20	44	7
Gestion ring C 25/60	25	60	10
Gestion ring C 20/70	20	70	10
Gestion ring C 30/70	30	70	10
Gestion ring C 30/80	30	82	10
Gestion ring C 30/92	30	92	10
Gestion ring C 35/92	35	92	10
Gestion ring C 40/102	40	102	10
Gestion ring C 40/116	40	116	10
Gestion ring C 50/120	50	120	10
Gestion ring C 60/144	60	144	13
Gestion ring C 70/178	70	178	13
Gestion ring C 52/190	52	190	30
Gestion ring C 80/200	80	200	18
Gestion ring C 52/210	52	210	30
Gestion ring C 92/220	90	220	20
Gestion ring C 52/240	52	240	30
Gestion ring C 100/250	100	250	20

Марка	N, мм	D, мм	S, мм
Gestion ring C 52/280	52	280	30
Gestion ring C 52/310	52	310	30




## КРЫШКИ ДЛЯ УЗКОГОРЛЫХ КОНУСНЫХ ВСТАВОК

### GESTION EX cap Y

Марка	D, мм	S, мм
Gestion EX cap Y 60/10	60	10
Gestion EX cap Y 80/10	80	10
Gestion EX cap Y 98/10	98	10
Gestion EX cap Y 100/10	100	10
Gestion EX cap Y 120/10	120	10
Gestion EX cap Y 150/15	150	15
Gestion EX cap Y 177/15	177	15
Gestion EX cap Y 221/23	221	23
Gestion EX cap Y 246/23	246	23
Gestion EX cap Y 275/25	275	25
Gestion EX cap Y 302/25	302	25
Gestion EX cap Y 360/30	360	30
Gestion EX cap Y 415/30	415	30

## ОТСЕКАТЕЛЬНЫЕ КОЛЬЦА ДЛЯ ВСТАВОК GESTION ring OV



Марка	d, мм	D, мм	b, мм	B, мм	s, мм
Gestion ring OV 114/140/34/60	114	140	34	60	8
Gestion ring OV 100/144/35/80	100	144	35	80	8
Gestion ring OV 122/174/36/124	122	174	36	124	12
Gestion ring OV 122/174/60/124	122	174	60	124	12
Gestion ring OV 130/184/60/104	130	184	60	104	12
Gestion ring OV 135/240/35/140	135	240	35	140	10
Gestion ring OV 135/240/35/140	135	240	35	140	20